Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

KPV 10 mg

Report To:
Imperial Compounds

Compound: KPV
Amount: 10 mg
Laboratory ID: V260924-42 001
Lot Number: KPV10-0726-245
Date Released: 10/9/2026



Analysis	Method	Result		
Identity	HPLC-UV/VIS	Pass - Matches Ref. Standard		
Chromatographic Purity	HPLC-UV/VIS	99.53%	99.58%	99.56%
Quantity	HPLC-UV/VIS	11.41 mg	11.11 mg	10.82 mg
Fentanyl Screening	HPLC-UV/VIS	Pass - Not Detected		

ISO 17025:2017 ACCREDITED LABORATORY

Report By: Dustin Newman, Laboratory Director on 10/9/2026

Approved By: Tori Johnson, Operations Director on 10/9/2026

Please consult A2LA Certificate #6377.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch. Blend purity is the combined chromatographic area % of peaks identified as the intended components, not absolute mass purity. It does not establish individual component purity, quantity, or ratio. Co-eluting or otherwise undetected impurities may not be included, despite peak-purity and spectral-library review.

Vanguard Laboratory
2635 Parkmont Ln
Olympia, Wa 98502
360-967-7010

Certificate of Analysis

KPV 10 mg

Report To:
Imperial Compounds

Compound: KPV
Amount: 10 mg
Laboratory ID: V260924-42 001
Lot Number: KPV10-0726-245
Date Released: 10/9/2026

Analyte	Method	LOQ (ppm)	Result (ppm)
Arsenic (As)	ICP-MS	0.01	ND
Cadmium (Cd)	ICP-MS	0.01	ND
Lead (Pb)	ICP-MS	0.01	ND
Mercury (Hg)	ICP-MS	0.005	ND

Run ID: 261006

Analysis	Method	Result
Endotoxins	LAL	<10.0 EU/vial
Sterility	USP <71>	No Growth Detected

Run ID: 261001, 260925

Report By: Dustin Newman, Laboratory Director on 10/9/2026

Approved By: Tori Johnson, Operations Director on 10/9/2026

ND: Non-Detect
LOQ: Limit of Quantification

ISO 17025:2017 ACCREDITED LABORATORY

Please consult A2LA Certificate #6377.01 for a list of accredited tests. Samples were received in acceptable condition. The result(s) in this report relate only to the portion of the sample(s) tested. All analyses were performed consistent with the Vanguard Laboratory Quality Management System. Vanguard Laboratory and its staff did not observe or participate in the sample selection process, and cannot confirm the authenticity of the sample or its representativeness of the associated lot/batch.